


PLAT OF AREA PETITIONED FOR ANNEXATION TO THE VILLAGE  
OF ROCKFORD, OHIO - TRACT IS OUT OF SOUTH 1/2 FRACTIONAL  
SECTION 16, TOWN 4 SOUTH, RANGE 2 EAST, DUBLIN TWP., MERCER COUNTY -



OWNERS CERTIFICATE  
BE IT KNOWN THAT I, BEING THE  
LAWFUL OWNER OF THE LAND  
ENCOMPASSED BY THIS PLAT, DO REQUEST  
SAID TRACT BE ANNEXED TO THE  
VILLAGE OF ROCKFORD, OHIO

Carl Bolinger 11/22/76  
OWNER-CARL BOLINGER DATE

VILLAGE ACCEPTANCE  
BE IT KNOWN THAT THE PETITION FOR  
ANNEXING THE TRACT SHOWN ON THIS  
PLAT WAS PRESENTED TO THE VILLAGE COUNCIL  
OF ROCKFORD, OHIO ON THE 13 DAY OF  
December, 1976. APPROVED AND ACCEPTED  
AS RECORDED IN JOURNAL U11, PAGE 111.

John Y. Smith 22 Aug 1977 ORDINANCE NO. 7-76  
MAYOR DATE

J. Richard Lloyd 22 Aug 1977  
PRESIDENT OF COUNCIL DATE

Deanne VanSillburg 22 Aug 1977  
CLERK DATE

SURVEYORS CERTIFICATION  
I CERTIFY THIS PLAT TRUE BY SURVEY  
SHOWING THE LAND TO BE ANNEXED TO THE  
VILLAGE OF ROCKFORD, OHIO AS DESCRIBED  
IN THE DEED AS RECORDED IN VOL. 264  
PAGE 852-5, MERCER COUNTY RECORD OF DEEDS.

Roy F. Thompson Jr. 11/22/76  
ROY F. THOMPSON JR #5379 DATE

COMMISSIONERS APPROVAL  
APPROVED AS RECORDED  
IN JOURNAL 39, PAGE 468.  
Ralph W. Luterman 6/3/77  
COMMISSIONER DATE  
Ralph Dickie 6/3/77  
COMMISSIONER DATE  
Richard L. Thompson 6/3/77  
COMMISSIONER DATE

TRANSFERRED THIS \_\_\_\_\_, 1976  
FILED FOR RECORD THIS 9 DAY OF Jan, 1977 AT 11:14 AM.  
RECORDED THIS 16 DAY OF Nov, 1977 IN PLAT BOOK 8, PAGE 140.

Laura H. Post 11/19/77  
COUNTY RECORDER DATE

Fee 15.00

Misc. Vol. 6 page 399

APPROVED  
MERCER COUNTY TAX MAP DEPT.  
Date 11-8-77  
By m.B

TRANSFER NOT RECORDED  
NOV 8 1977  
TOM THIEMERMAN  
COUNTY AUDITOR  
MERCER COUNTY, OHIO

02/6/02003

72

ROGER HAWK ET UX.  
D.B. 274 PG.311  
D.B. 272 PG518

POINT ON TANGENT ESTABLISHED  
AS PER O.D.O.T. & W MONUMENTS  
FOUND AT STATION 35+00 - 50' LT.  
AND 40+00 - 50' LT.

ROGER HAWK E.L. U.A.  
D.B. 274 PG.311  
D.B. 272 PG518

POINT ON TANGENT ESTABLISHED AS PER O.D.O.T. R/W MONUMENTS FOUND AT STATION 35-00 - 50' LT. AND 40-00 - 50' LT.

STATE ROUTE #118

R/W 30'

N 78° 32' 38"E 1353.81'

STATE ROUTE # 117

R/R SPIKE FD. LOWER ST.

75° 08' 00"  
PER ROY F. THOMPSON  
SURVEY P.B.S PG.19

TOTAL AREA = 45.932 ACRES  
S.R 117 R/W = 0.936 ACRES  
NET AREA = 44.996 ACRES

CURVE DATA  
 $\Delta = 7^{\circ} 42' 04''$   
 $R = 4082'$   
 $ARC = 560.00'$   
 CHORD: N 05° 10' 23"E 848.50'

CURVE DATA  
 $\Delta = 10^{\circ} 10' 48''$   
 $R = 4122'$   
 $ARC = 732.30'$   
 CHORD: S 06° 30' 45"W 731.43'

N 78° 32' 38"E 644.0' DEED CALL

40'

P.C. CURVE

D.B. 193 PG.390  
13.85 ACRES BY DEED

DB.296 PG.400  
27.79 ACRES BY DEED

RONOLD & KAREN PIPER D.B.297 PG.673

80° 28' 21"W 815.24'

80° 28' 21"W

57° 38' 42"W 74.43'

57° 38' 42"W

56° 51' 00"W 305.07'

56° 51' 00"W

56° 35' 25"W 156.09'

56° 35' 25"W

56° 25' 25"W 157.24'

56° 25' 00"W 118.35'

56° 25' 00"W

56° 38' 28"W 120.62'

56° 38' 28"W

56° 37' 37"W 84.46'

56° 37' 37"W

56° 37' 26"W 218.80'

56° 37' 26"W

56° 35' 01"W 326.26'

56° 35' 01"W

56° 35' 37"W 74.24'

56° 35' 37"W

56° 35' 37"W 00.00'

EXISTING CORPORATION LINE  
SOUTH BANK OF THE  
ST. MARY'S RIVER AS OF 6-11-8

EXISTING CORP. LINE

ORIEL ROBBINS  
D.B.177 PG.359

LLOYD OIL CO. J.L.R. CORP.

PRESENTED FOR RECORD  
On the 24 day of Dec. 1987  
at 10:22 a.m.  
Dec. 29, 1987  
In Monroe Co., Ohio, recorded  
by [Signature]

TOTAL AREA = 45.932 ACRES  
S.R 117 R/W = 0.936 ACRES  
NET AREA = 44.996 ACRES

EAST LINE OF SHANE'S RESERVE  
WEST LINE OF GODFREY'S RESERVE  
P.B.5 PG.19

N

**SCALE**  $1'' = 100'$

WESLEY G. FETTERS  
D.B.242 PG.484

**SHANE'S RESERVE**

16      4-S      2-E  
SECTION      TOWNSHIP      RANGE

DUBLIN  
CIVIL TOWNSHIP


MERCER  
COUNTY

SURVEYED BY: Jerry R. Garrison  
JERRY R. GARRISON  
REGISTERED SURVEYOR # 6859  
DATE: 10-3-86

**ORIEL ROBBINS  
D.B.177 PG.359**

LLOYD OIL CO. J.L.R. CO.  
DB.292 PG.304 D.B.289

Proceedings Recorded Misc. 8 Pg. 74



LOCATION MAP



	ANNEXATION PLAT 45.932 AC.		
	FOR:	<b>VILLAGE OF ROCKFORD</b>	
	<b>MOTE-GARRISON &amp; ASSOCIATES, INC.</b>		<b>GREENVILLE, OHIO</b>
DATE:	DRWN. BY:	DRWG. NO.	
9-23-86	DLH	1D1285	


**LOUIS HABEGGER'S PROPERTY**  
PLAT

**SHANES**  
GRANT

**DUBLIN**  
CIVIL TOWNSHIP

**MERCER**  
COUNTY

**OHIO**  
STATE



IRON SPIKE FOUND  
OVER STONE  
CENTER OF SECTION 20.

S88°27'10"E 2655.82' (2658.35')

CHARLES KIMMEL ET. AL.  
O.R. 75 PG. 39  
(102.209 AC.)

WILSON ROAD

SECTION 20

133.34'  
CALC. POINT  
EAST QUARTER  
POST SECTION 20.

(ASSUMED BEARING)  
NO 043°00'E 744.85'  
452.66' (452.50') 292.19' (292.30')  
N00°37'00"E 729.15'  
(730.07')


EDWIN & ALICE RUTH KIMMEL  
D.B. 287 PG. 592  
(3.6 AC.)

SECTION 21

EX. RW

199900007483  
Filed for Record in  
MERCER COUNTY, OHIO  
ANDREA L. SCHROYER  
On 11-05-1999 At 03:04 pm.  
PLAT  
21.60  
OR Book 1 Page 320 - 320

EDWIN & ALICE RUTH KIMMEL  
D.B. 217 PG. 301  
(24.00 AC.)



**LEGEND**

- IRON PIN FOUND
- ✖ IRON PIPE FOUND
- IRON SPIKE FOUND
- CONCRETE POST FOUND
- RW MONUMENT FOUND
- ( ) CALLED DIMENSION
- △ CORNER STONE FOUND

**SURVEY REFERENCE**

- 1) O.D.O.T. RW PLANS STATE ROUTE #118, 1949.
- 2) PLAT OF LOUIS HABEGGER'S PROPERTY, PLAT CAB. 2 PG. 215.
- 3) SURVEY OF LOTS 1-4 & 45-48 PLAT CAB. 2 PG. 462.
- 4) SURVEY OF A 102.209 ACRE TRACT SECTION 20, BY THOMPSON, 1996.
- 5) SURVEY OF A 1.543 & 1.530 ACRE TRACTS SECTION 20 & 21, BY THOMPSON.
- 5) RESURVEY OF HABEGGER PLAT BY BERGMAN, 1999.

**ANNEXATION PLAT**  
**THE VILLAGE OF ROCKFORD**  
**TOTAL AREA = 13.967 ACRES**

*Andrea L. Schroyer*  
MERCER COUNTY RECORDER

DATE: 11-5-99

*Mark P. Klueger Esq.*  
MERCER COUNTY AUDITOR

DATE: 11-5-99

DESCRIPTION  
SUFFICIENT  
FOR TAX MAPPING PURPOSES

NOV 05 1999

MERCER COUNTY  
TAX MAP DEPARTMENT

SURVEYED BY:


*Louis J. Bergman*  
LOUIS J. BERGMAN  
REG. SURVEYOR #7177  
DATE: 5-25-99



# ACS GOVERNMENT SERVICES

**NOTE:**

The North right of way line of S.R. 118 was established using plans from ODOT for the road realignment done in 1949. This line runs from Station 63+00.00, 50.00' Left to Station 66+11.50, 40.00' Left.



## ANNEXATION PLAT

Annexation to the Village of Rockford, Ohio  
Being located in a portion of Shane's Grant,  
situated in the NE 1/4 of Section 20.

Also section ground situated in the  
NE 1/4 of Section 20 and NW 1/4 of Section 21,  
T4S, R2E, Dublin Township, Mercer County, Ohio

**LEGAL DESCRIPTION**

Being parcel #02-20-226-001, partially situated in Shane's Grant in the NE 1/4 of Section 20, T4S, R2E, Dublin Township, Mercer County, Ohio; partially situated in the NE 1/4 of Section 20, T4S, R2E, Dublin Township, Mercer County, Ohio; and partially situated in the NW 1/4 of Section 21, T4S, R2E, Dublin Township, Mercer County, Ohio; as described in Official Record 157, Page 1578 and being more particularly described as follows:

- Beginning at an existing #5 Rebar at the SW corner of Shane's Grant; thence the following courses:
- 1.) N 2° 01' .50" E on the West line of Shane's Grant, 1,174.03' to an existing corner stone on the North line of the NE 1/4 of Section 20;
  - 2.) S 89° 07' 41" E on the North line of the NE 1/4 of Section 20 and the current South Corporation Line of the Village of Rockford, 925.45' to an existing #5 Rebar at the SW corner of a strip of land historically referred to as 16' 50" feet wide;
  - 3.) S 89° 06' 11" E on the North line of the NE 1/4 of Section 20 and the current South Corporation Line of the Village of Rockford, 16.51' to an existing #5 rebar on the current West Corporation Line of the Village of Rockford;
  - 4.) S 1° 17' 34" W on the West line of Jay Street and the current West Corporation Line of the Village of Rockford, 1,180.20' to an existing #5 Rebar on the South line of Shane's Grant (said point also being the SW corner of Jay Street and the intersection of current West and current South Corporation Lines of the Village of Rockford), passing an existing #5 Rebar at 538.47';
  - 5.) S 89° 39' .19" E on the South line of Shane's Grant and the current South Corporation Line of the Village of Rockford, 488.32' to an existing #5 Rebar on the East line of the NE 1/4 of Section 20;
  - 6.) S 89° 39' .19" E on the South line of Shane's Grant and the current South Corporation Line of the Village of Rockford, 240.84' to an existing #5 Rebar at the right-of-way of State Route 118;
  - 7.) S 89° 39' .19" E on the South line of Shane's Grant and the current south Corporation Line of the Village of Rockford, 40.21' to an existing MAG Nail on a curve to the right in the centerline of State Route 118 at ODOT Station 66+14.51, said curve having a radius of 2,864.79';
  - 8.) On said centerline curve an arc length of 50.23' to an existing MAG Nail at ODOT Station 65+64.28, this portion of the curve having a chord bearing of S 6° 52' .35" W and chord length of 50.23';
  - 9.) N 89° 42' .21" W, 44.25' to an existing #5 Rebar at the right-of-way of State Route 118;
  - 10.) N 89° 42' .21" W, 720.23' to an existing #5 Rebar;
  - 11.) N 89° 42' .21" W, 957.60' to an existing #5 Rebar;
  - 12.) N 2° 01' .50" E, 50.00' to the POINT OF BEGINNING.

The above-described parcel of land contains 27.649 acres, more or less, of which 0.049 acres is occupied by the road right-of-way of State Route 118. This parcel of land is subject to all legal highways and easements of record.

The system of bearings for this legal description and accompanying plat are based on prior surveys conducted by Brad J. Core, P.S. #8004, dated March 30, 2000 and July 5, 2002. This legal description and the accompanying plat represent an actual boundary survey completed under the direct supervision of Brad J. Core, P.S. #8004 on July 8, 2003. All markers called for above are in place.

**COUNTY COMMISSIONERS**

The Board of Mercer County Commissioners hereby accept this Plat of Annexation of Land to the Village

of Rockford by Commissioners Resolution No. 03-1367 dated December 23, 2003.

*Thomas L. Engle*  
President of the Board of Mercer County Commissioners

**VILLAGE OF Rockford**

We, The Council of the Village of Rockford and the Mayor of the Village of Rockford, Do hereby acknowledge this plat and described property for annexation to the Village of Rockford by Ordinance No. # 07-15-03, dated 07/15/03.

*Annie Lyons*  
Clerk of Council for the Village of Rockford

*Robert C. King*  
Mayor of the Village of Rockford

TRANSFER NOT NECESSARY

AUG 10 2004

MARK GIESIGE  
COUNTY AUDITOR  
MERCER COUNTY, OHIO



*Brad J. Core*  
Brad J. Core, P.S. #8004

*Pamela K. Berger DMH*  
Recorder, Mercer County, Ohio

### CORE CONSULTING


A Division of Materials Testing, Inc.  
1660 S. Reference Trail  
Springfield, OH 45587  
(419) 647-6163


CLIENT: PARKWAY LOCAL SCHOOL DISTRICT

PROJECT: ANNEXATION PLAT

DRAWN BY: Z.J.G. DATE: 7-9-2003 CHECKED BY: B.J.C. DATE: 7-11-2003

SCALE: 1" = 200' PAGE: 1 OF 1





DESCRIPTION  
SUFFICIENT  
FOR TAX MAPPING PURPOSES

FEB 20 2008

MERCER COUNTY  
TAX MAP DEPARTMENT

PLAT OF ANNEXATION TO THE VILLAGE OF ROCKFORD  
PART OF SECTIONS 8 AND 17, TOWNSHIP 4 SOUTH, RANGE 2 EAST, DUBLIN TOWNSHIP,  
AND ALSO PART OF CRESCENT RESERVE, MERCER COUNTY, OHIO.

OCTOBER 29, 2007

SCALE 1" = 300'

TREY & TAFANI STOBER  
69.259 AC. BY DEED  
INST. # 200400002475

S 01°04'27" E  
33.01'


0' 200' 400' 600'

NOTES :

1) THE PARCEL TO BE ANNEXED IS IN  
ZONE X AND DETERMINED TO BE  
OUTSIDE THE 500 YEAR FLOOD PLAIN,  
ACCORDING TO FLOOD INSURANCE  
RATE MAP, COMMUNITY-PANEL #  
390392 0025 B, 9-6-89.

2) THIS SURVEY WAS BASED OFF OF SURVEYS  
BY G. GEESLIN FOR YOUNGBLUTT, 9-14-93;  
AND MY PRIOR SURVEY FOR RUTLEDGE,  
DATED 2-6-07.

LOCATION SKETCH



JAMES & HELEN McDONOUGH  
49.000 AC. BY DEED  
VOL. 215 PG. 269

S 89°04'30" V  
73.27'

LEGEND

- △ - CORNERSTONE (REFER TO CO. STONE REC'S).
- ☒ - NAIL FOUND.
- ☒ - RAILROAD SPIKE FOUND.
- - 5/8 INCH IRON BAR FOUND.
- - IRON BAR IN MON. BOX FOUND.

**75.785 ACRES TO BE ANNEXED**

THOMAS ROGERS  
77.198 AC. BY DEED AND SURVEY  
INST. # 200700004817

N 87°23'41" E  
97.36'

PARCEL 2 = 0.223 AC. (ANNEXED  
INTO VILLAGE OF ROCKFORD,  
PLAT DATED 2-6-07); PARCEL  
1 = 0.445 ACRE OWNER PAUL  
AND TARA MAY, INST. #  
200700004448

E LINE - S.W. 1/4 - N.W. 1/4 - SEC. 17

S 89°04'24" E 125.57'

E 125.57'


S 89°04'24" V 1334.17'

S. LINE - N.W. 1/4 - SEC. 17 & Q. ROCKFORD - WEST RD. (60' R/W)

1334.17'

30' R/W LINE

P.O.B.



SURVEYED BY *[Signature]*  
JAMES W. GEESLIN  
P.R. No. 7764

**GEESLIN  
LAND SURVEYING**  
107 N. CEDAR ST.  
COLDWATER, OHIO 46828  
PHONE (419) 678-7232  
FAX (419) 678-9332

Exhibit "B"

