



0903176008

09-06
09-03C

SURVEY OF LOT NO. 6 IN THE
LAKEACRES SUBDIVISION 1, JEFFERSON
TOWNSHIP, T-6-S, R-3-E, MERCER
COUNTY, OHIO.




State Route 703



LEGEND

- Iron Pin Set
- Iron Pin/Pipe Found
- ⊙ Concrete Monument Found
- ⊗ Mag Nail Set
- Mag Nail Found



GRAPHIC SCALE

This Plat is on File in the
Mercer County Tax Map Office.

Jauert
surveying

11584 Monroe Road
Wapakoneta, Ohio
45895
(419) 657-6999


ATTEST:
John W. Jauert
Professional Surveyor No. 6920

CLIENT: Jim Dabbelt		
COUNTY: Mercer	TOWNSHIP: Jefferson	SEC. 3
DRAWN BY: J.W.J.	SCALE: 1"=40'	DWG.# 15-38730
CHECKED BY:	DATE: May 2015	
SHEET 1 OF 1	(T-6-S; R-3-E)	


0903176008

09-03C

SURVEY OF LOT NO. 7 IN THE LAKEACRES SUBDIVISION 1, JEFFERSON TOWNSHIP, T-6-S, R-3-E, MERCER COUNTY, OHIO.



State Route 703




LEGEND

- Iron Pin Set
- Iron Pin/Pipe Found
- ⊙ Concrete Monument Found
- ⊘ Mag Nail Set
- Mag Nail Found



ATTEST: *[Signature]*
John W. Jauert
Professional Surveyor No. 6920




This Plat is on File in the Mercer County Tax Map Office.

Jauert surveying
11584 Monroe Road
Wapakoneta, Ohio
45895
(419) 657-6999

CLIENT: Jim Dabbelt	TOWNSHIP: Jefferson		SEC. 3
COUNTY: Mercer	DRAWN BY: J.W.J.	SCALE: 1"=40'	DWG.# 15-3873C
CHECKED BY:	DATE: May 2015		
SHEET 1 OF 1		(T-6-S; R-3-E)	

SURVEY OF LOT NO. 10 IN THE LAKEACRES SUBDIVISION 1, JEFFERSON TOWNSHIP, T-6-S, R-3-E, MERCER COUNTY, OHIO.



State Route 703

N.01°30'00"E. 100.00' 700.00'

7.5' Easement

Lot No. 2

200.00' N.88°30'00"W. Lot No. 3 Lot No. 4 Lot No. 5 Lot No. 6 Lot No. 7 Lot No. 8 Lot No. 9

S.88°30'00"E. 200.00'

Lot No. 10

S.88°30'00"E. 200.00'

Lot No. 11

50' Setback Line

50' Setback Line

25' R/W Line

25' R/W Line

229.12'

700.00'

100.00'

49.29'



34.06'

S.01°30'00"W. S.01°30'00"W.

Lake Acres Drive

LEGEND

- Iron Pin Set
Iron Pin/Pipe Found
Concrete Monument Found
Mag Nail Set
Mag Nail Found



GRAPHIC SCALE

This Plat is on File in the Mercer County Tax Map Office.

Jauert surveying

11584 Monroe Road Wapakoneta, Ohio 45895 (419) 657-6999


ATTEST: John W. Jauert Professional Surveyor No. 6920

Table with client and survey details: CLIENT: Jim Dabbelt, COUNTY: Mercer, TOWNSHIP: Jefferson, SEC. 3, DRAWN BY: J.W.J., SCALE: 1"=40', DWG.# 15-38730, CHECKED BY: DATE: May 2015, SHEET 1 OF 1, (T-6-S; R-3-E)

0903176010

09-03C

SURVEY OF LOT NO. 8 IN THE LAKEACRES SUBDIVISION 1, JEFFERSON TOWNSHIP, T-6-S, R-3-E, MERCER COUNTY, OHIO.



State Route 703

N.01°30'00"E. 100.00'

500.00'



Lot No. 2

200.00'

N.88°30'00"W.

Lot No. 3

Lot No. 4

Lot No. 5

Lot No. 6

Lot No. 7

S.88°30'00"E.

200.00'

Lot No. 8

S.88°30'00"E.

200.00'

Lot No. 9

50' Setback Line

50' Setback Line

25' R/W Line

25' R/W Line

229.12'

500.00'

100.00'

S.01°30'00"W.

S.01°30'00"W.

Lake Acres Drive

34.06'

49.29'

LEGEND

- Iron Pin Set
- Iron Pin/Pipe Found
- ⊙ Concrete Monument Found
- ⊗ Mag Nail Set
- Mag Nail Found



GRAPHIC SCALE

This Plat is on File in the Mercer County Tax Map Office.


Jauert surveying

11584 Monroe Road Wapakoneta, Ohio 45895 (419) 657-6999


ATTEST: John W. Jauert Professional Surveyor No. 6920

CLIENT:	Jim Dabbelt				
COUNTY:	Mercer	TOWNSHIP:	Jefferson	SEC.	3
DRAWN BY:	J.W.J.	SCALE:	1"=40'	DWG.#	15-38730
CHECKED BY:		DATE:	May 2015		
SHEET 1 OF 1					(T-6-S; R-3-E)

SURVEY OF LOT NO. 11 IN THE LAKEACRES SUBDIVISION 1, JEFFERSON TOWNSHIP, T-6-S, R-3-E, MERCER COUNTY, OHIO.




State Route 703



Lake Acres Drive

LEGEND

- Iron Pin Set
- Iron Pin/Pipe Found
- ⊙ Concrete Monument Found
- ⊘ Mag Nail Set
- Mag Nail Found



GRAPHIC SCALE

This Plat is on File in the Mercer County Tax Map Office.

Jauert surveying


11584 Monroe Road Wapakoneta, Ohio 45895 (419) 657-6999

ATTEST: John W. Jauert Professional Surveyor No. 6920

CLIENT: Jim Dabbelt
COUNTY: Mercer TOWNSHIP: Jefferson SEC. 3
DRAWN BY: J.W.J. SCALE: 1"=40' DWG.# 15-38730
CHECKED BY: DATE: May 2015
SHEET 1 OF 1 (T-6-S; R-3-E)

0903326004

LOCATION SKETCH



SECTION 3

LEGEND


"A" = RAILROAD SPIKE FOUND

"B" = 5/8" IRON BAR FOUND.



"C" = MINE SPIKE SET

"D" = 5/8" X 30" IRON BAR SET.

* AT TIME OF SURVEY, TRACT "A" DOES NOT MEET MERCER CO. SUBDIVISION REGULATIONS AND CANNOT BE SOLD AS A BUILDING LOT UNTIL SUCH TIME THAT IT DOES MEET SAID REGULATIONS.



N



SEE PLAT BOOK 7, PAGE 10

ARTHUR FISHBAUGH JR.
VOL 282, PG. 738

SURVEYED BY Gordon L. Geeslin
GORDON L. GEESLIN
REGISTERED SURVEYOR
NO 5372

SWONGER SURVEY

PART OF SECTION 3, TOWN 6 SOUTH, RANGE 3 EAST (JEFFERSON TOWNSHIP), MERCER COUNTY, OHIO. ALSO BEING A PART OF LOT 22, LAKEACRES SUB-DIV. AND A PART OF STATE PARCEL 54-80.

FEBRUARY 14, 1994



SCALE 1"=60'

GORDON L. GEESLIN

LAND SURVEYOR
810 EAST MARKET STREET
CELINA, OHIO



PERMANENT PARCEL No. _____
Part of: _____ Sec. _____ T. _____ R. _____ Township
Grantor: _____ Area Retained: _____ Acres
Grantee: _____ Area Transferred: _____ Acres
Deed References: _____
APPROVALS: _____

0903326006

MANSON SURVEY

OF LOT NO. 23 IN LAKE ACRES SUBDIVISION,
PLAT BOOK 7, PG. 10, IN SECTION 3, TOWN
6 SOUTH, RANGE 3 EAST, (JEFFERSON
TOWNSHIP), MERCER COUNTY, OHIO.

JANUARY 11, 2017

SCALE 1" = 50'



LEGEND

- ⊕ = RAILROAD SPIKE FOUND.
- ⊙ = IRON PIPE FOUND.
- = 5/8 INCH IRON BAR FOUND.
- ⊙ = 5/8 INCH IRON BAR SET.



N 01°41'01" E 173.72'
LAKE ACRES DRIVE (50')

S 88°27'17" E 174.96'
LAKE ACRES DRIVE (40')

S 01°43'34" W 229.53' (T)
LAKE ACRES DRIVE (40')

LOT 23
(0.865 AC.)

SANDRA MANSON
INST. # 2017-0009

TDK STAHL PROPERTIES
0.41 AC.
INST. # 2007-3870

TOP OF BANK

STATE OF OHIO
PROPERTY LINE


GRAND LAKE ST. MARRYS

SURVEYED BY

James W. Geeslin
JAMES W. GEESLIN
P.S. No. 7764

SURVEY REFERENCES:
1) FISHBAUGH ESTATE SURVEY BY G. GEESLIN, P.S.
5372, NOV. 79.
2) LAKE ACRES SUBDIVISION PLAT.
3) JENNINGS LAWRENCE SURVEY BY STATE OF OHIO.

GEESLIN
LAND SURVEYING
525 S. SECOND ST.
COLDWATER, OHIO 45828
PHONE (419) 678-7232



PERMANENT PARCEL No. _____

Part of: _____ Sec. _____ T _____ R _____ Township _____

Grantor: _____ Area Retained: _____ Acres _____

Grantee: _____ Area Transferred: _____ Acres _____

Dead References: _____

APPROVALS
AGENCY: _____ Board of Health _____
DATE: _____ Township Zoning Officer _____ County Engineer _____

09-03C

0903326008

0903326002


Legend	
⊕	Concrete monument found
⊙	Iron pin found
○	Mag nail set
⊗	Spike found
●	5/8" X 30" Iron pin w/cap set



Scale: 1" = 50'



Curve	Delta Angle	Radius	Arc	Tangent	Chord	Chord Bearing
1	109°11'18"	60.00	114.34	84.41	97.81	N 33°45'33"W
2	2°34'34"	450.00	20.23	10.12	20.23	N 19°37'54"E
3	12°49'37"	450.00	100.74	50.58	100.53	N 11°55'49"E
4	3°49'40"	450.00	30.06	15.04	30.06	N 3°36'11"E



Note: Reference is made to a survey by myself dated 11-2-05

Marbaugh Land Surveying

1210 Yorkshire Court
Celina, Ohio 45822
(419) 586-4293

Kent Marbaugh
Kent B. Marbaugh P.S.7421



Fishbaugh Survey


State of: Ohio County: Mercer
 Township: Jefferson Sec: 3 Town: 6S Range: 3E
 City/Village: _____ Subdivision: Lakeacres Lot: 21
 Deed Ref: O.R.200, Pg.192 Date Surveyed: 6-14-06

Approvals: _____
 Agency: Board of Health Township Zoning Inspector _____ County Engineer _____
 Date: _____

09-03C ✓

0903 326067, -004

SKETCH SHOWING THE LOCATION OF THE BRIDGE BETWEEN THE SWONGER-FISHBAUGH PROPERTY IN SECTION 3, TOWN 6 SOUTH, RANGE 3 EAST, (JEFFERSON TOWNSHIP), MERCER COUNTY



PERMANENT PARCEL No. _____

Part of: Sec. _____ T. _____ R. _____ Township _____

Grantor _____ Area Returned _____ Acres _____

Grantee _____ Area Returned _____ Acres _____

Dead References _____

APPROVALS: _____


AGENCY: _____

DATE: _____

Board of Health _____

County Sanitary Engineer _____


County Engineer _____



GEESLIN LAND SURVEYING

804 EAST MARKET STREET
P.O. BOX 422
CELINA, OHIO 45822

PHONE: (419) 586-6155
FAX: (419) 586-1826



James W. Geeslin
5-29-01

JAMES W. GEESLIN
P.S. No. 7764


SURVEYED BY

RR. SPIKE F.D.


9-B

0903326008

- Legend**
- ⊙ Concrete monument found
 - Iron pin found
 - Mag nail set
 - ⊘ Spike found



Notes: 1. Reference is made to surveys by Gordon Geeslin dated Nov. 1979 & 2-14-94
 2. Reference is made to the Grand Lake Survey
 3. State Parcel 54-81 was established starting on the south end using the 1994 Geeslin survey and ending at the north line of lot 21 as per Grand Lake Survey.



Marbaugh Land Surveying
 1210 Yorkshire Court
 Celina, Ohio 45822
 (419) 586-4293

Kent Marbaugh
 Kent B. Marbaugh P.S.7421



Fishbaugh Survey


State of: Ohio County: Mercer
 Township: Jefferson Sec: 3 Town: 6S Range: 3E
 City/Village: _____ Subdivision: Lakeacres Lot: 21
 Deed Ref: O.R.200, Pg.192 Date Surveyed: 11-2-05

Approvals: _____	_____	_____
Agency: <u>Board of Health</u>	<u>Township Zoning Inspector</u>	<u>County Engineer</u>
Date: _____		

09-03-326-002
 -003
 -001

09-03C ✓

WRIGHT STATE UNIVERSITY



09-03-0331
0903176001
0903326007; 004, 002, 008
0903177004

Note: a polar planimeter was used in determining the area of certain portions of this survey.

15.55 ACRES

LAKE ACRES DRIVE

LAKE ACRES SUBDIVISION

1.53 ACRES

2.41 ACRES

LOT 23

LUKE & NORMA SIMLLEY
VOL. 229, PG. 448

A IRON FOUND FROM LAKE ACRES SUBDIVISION SURVEY

LAND IN THE SOUTHEAST QUARTER = [diagonal lines] = 2.41 ACRES
LAND IN THE SOUTHWEST QUARTER = [stippled] = 17.08 ACRES


GRAND LAKE ST. MARY'S

SCALE 1" = 50'

The intent of this survey was not to locate the state property line but to show existing land area in the south half of section 3, as stated in the survey title.

BK 4 - Page 328

Surveyed by Marden & Beeslin
Gordon L. Beeslin
Registered Surveyor 5372



SURVEY FOR ARTHUR A. FISHBAUGH SHOWING EXISTING LAND AREA IN THE SOUTHEAST & SOUTHWEST QUARTERS OF SECTION 3, TOWN 6 SOUTH, RANGE 3 EAST, MERCER COUNTY, OHIO. LIVING EAST OF WRIGHT STATE UNIVERSITY & NOT INCLUDED IN LAKE ACRES. SUD. DIV. N. 2 I. UOR. ARE CHILES OR SIMLLEY TRACTS INCL. THEREIN.

DRAWN BY	G.L.G.
DATE	NOV. 23, '71
CHECKED BY	
REVISION DATE	
COMM. NO.	71-42
SHEET NO.	ONE OF ONE


FANNING & HOWEY
ARCHITECTS AND ENGINEERS
540 E. MARKET ST., P.O. BOX 71, CELINA, OHIO 45822 PH 419 586-7771

0903 170001 to 017
0903 326001

0903251005 to 007
09-03C

0903 17002 TO
003
004
007
006

Lake Acres Subdivision



DEDICATION
Know all men by these presents, that the undersigned, being the owners of land embraced in the accompanying plat, hereby adopt the plan of subdivision shown hereon, to be known as "LAKE ACRES", do hereby establish the minimum restrictions and building set-back lines pertaining thereto, and do hereby dedicate the streets and drives thereon to the use and benefit of lot owners only.

Witness our hands this 9th day of May 1950
In the presence of
Maryann Hubert
Paul Street
Witnesses
Ad. Johnson
Robert Johnson
William Johnson
Wm. Johnson
Owners

NOTARY PUBLIC
STATE OF OHIO, Mercer County ss:
Before me, a Notary Public in and for said county and state personally appeared the above owners of said lands, who acknowledged the signing of aforesaid instrument to be their free act and deed. In testimony whereof, I have hereunto subscribed my name and affixed my official seal of office, at Celina, Ohio, this 9th day of May 1950.

MERCER COUNTY COMMISSIONERS CERTIFICATE OF APPROVAL
We hereby certify that the subdivision plat shown hereon has been found to comply with the standards for Mercer County, Ohio, and that we hereby approve same for recording in the office of the Mercer County Recorder.
Approved this 16th day of May 1950.

MERCER COUNTY AUDITOR'S CERTIFICATE
I hereby certify that there are no unpaid taxes on the tract shown on this plat and that the same was received for transfer this 26th day of May 1950.

MERCER COUNTY RECORDER'S CERTIFICATE
Received for record this 26th day of May 1950, at 3:31 o'clock P. M. and recorded in Plat Book No. 4 Page 26
John H. McKee
Mercer County Recorder

SURVEYOR'S CERTIFICATE
I, Henry C. Kelly, being the owner of the land shown on the plat was made in the NW 1/4, NE 1/4, SW 1/4, SE 1/4 of Section 27, Jefferson Township, Mercer County, Ohio, and is here by divided into 26 lots and a portion of the same, more or less, and the area was surveyed by me on the 27th day of May 1950. The area is platted as shown on the plat. Dimensions shown on plat of lots are as shown. Other dimensions are to the center line of said drives. The all lots are to be divided into lots of 1/2 acre or less. The area platted was taken from recorded deed, Vol 140 Page 305 & 306 containing original plat. The area platted was taken from recorded deed, Vol 140 Page 305 & 306 containing original plat.
Signed this 12th day of March 1950
Henry C. Kelly
Registered Surveyor No. 4286

STATE BOARD OF HEALTH CERTIFICATE OF APPROVAL
The accompanying plat applied for on the 22nd day of April 1950, subject to state sanitary regulations as per State Code.
Oscar C. King
District Sanitary Engineer
State of Ohio

RESTRICTIONS
1. No premises shall be used exclusively for residence purposes and there shall be no other buildings, structures, or other improvements on the premises other than those shown on the plat.
2. No building shall be erected on any lot which shall be less than 20 feet wide and 30 feet deep.
3. No building shall be erected on any lot which shall be less than 10 feet from the center line of any street or driveway.
4. No building shall be erected on any lot which shall be less than 10 feet from the rear of the building.
5. No building shall be erected on any lot which shall be less than 10 feet from the side of the building.
6. No building shall be erected on any lot which shall be less than 10 feet from the corner of the building.
7. No building shall be erected on any lot which shall be less than 10 feet from the center line of any street or driveway.
8. No building shall be erected on any lot which shall be less than 10 feet from the rear of the building.
9. No building shall be erected on any lot which shall be less than 10 feet from the side of the building.
10. No building shall be erected on any lot which shall be less than 10 feet from the corner of the building.

REGULATIONS
1. The developer of the development shall create an unincorporated community that will be self-sustaining and shall provide for the needs of the community.
2. The developer shall provide for the installation and maintenance of a water supply system.
3. The developer shall provide for the installation and maintenance of a sewerage system.
4. The developer shall provide for the installation and maintenance of a drainage system.
5. The developer shall provide for the installation and maintenance of a fire protection system.
6. The developer shall provide for the installation and maintenance of a police and fire department.
7. The developer shall provide for the installation and maintenance of a public utility system.
8. The developer shall provide for the installation and maintenance of a public health system.
9. The developer shall provide for the installation and maintenance of a public safety system.
10. The developer shall provide for the installation and maintenance of a public recreation system.

CELINA CITY PLANNING COMMISSION
We hereby certify that the subdivision plat shown hereon has been found to comply with the standards of Celina City Planning Commission.
Approved this 24th day of May 1950.
John H. McKee
Celina City Service Director

Reduced 3 1/2%

09-03C

10

AUDITOR'S CERTIFICATION
 Received for transfer this 9th day of MARCH, 1962.
 Tom Timmerman
 Auditor

RECORDER'S CERTIFICATION
 Received for Recording this 10th day of April, 1962.
 at 3:30 AM o'clock. Recorded in Plat Book # 9 Page 5
 Fee \$ 5.⁰⁰
 Gertrude Mc Caine, Recorder

N.A.A.S. SUBDIVISION
 N 1/2 SECTION 3, T 6 S, R 3 E.
 JEFFERSON TWP. MERCER Co. OHIO.

DEDICATION

I the owner of above property do hereby certify that this plat is a true representation of the land owned by me. Streets shown hereon dedicated prior to this plat. Easements shown are for use of Public Utilities.
 Caroline M. Nason

ACKNOWLEDGMENT

STATE of OHIO; COUNTY of MERCER.
 Be it remembered that on this 5th day of DEC., 1961, before me a Notary Public in aforesaid county, came personally the undersigned owner of said land herein plotted and acknowledged the signing to be her free act and deed for the purposes herein stated. In testimony whereof I have subscribed my name and affixed my Notarial Seal this 5th day of DEC., 1961.
 Wanda R. Nason
 Comm. Exp. 10-22-62


ENGINEER'S CERTIFICATE

Being part of N 1/2, Sec. 3 T 6 S, R 3 E, Jefferson Twp., Mercer Co. Ohio bounded and described as follows:
 Beginning at Point A, the intersection of center lines of S.R. 29 and Fishbaugh Drive; Thence N 85° 19' E, 525.14' along E of S.R. 29 to point B; Thence S 1° 30' W, 200 ft. to an iron pipe 'D' set on SE corner lot 4 said plat; Thence S 85° 19' E, 525.14' along south lot lines to an Iron Pipe 'D' set on E Fishbaugh Drive; Thence N 1° 30' E, 200 ft. along E Fishbaugh Drive to point of beginning.
 Tract contains 2.4 Acres divided into 4 lots of equal size. Said Plat is a part of B 29 Acre tract as recorded in Vol. Page Mercer Co. Deed Records. Iron Pipe have been set on corners of each lot as shown by symbol 'D'. Bearings are obs. magnetic.
 I hereby certify that this plat, to the best of my knowledge is a true and correct exposition of N.A.A.S. Sub. Div.
 Nov. 15-61
 F. E. Spalding
 Regd. Engr. No. 10353

COUNTY COMMS APPROVAL

Plat of proposed Subdivision herewith shown has been approved and accepted by Mercer Co. Comm. this 13th day of MARCH, 1962 for recording in Mercer Co. Plat Records.
 Presdt. Howard M. Miller
 John R. Luber
 Joseph Hastings

SCALE 1" = 40'



RESTRICTIONS

1. No building other than for residential purposes and/or private garage for same shall be built on any one lot 820 sq. ft. minimum one floor or 330 sq. ft. two floor plan exclusive of garage.
2. No structure of a temporary nature, trailer, basement, garage or outbuilding shall be used on any lot at any time as a residence, either temporary or permanent.
3. No fence shall be built between street and building line as shown, to a height of more than 3 ft.
4. Building line shown on plat shall be strictly adhered to, and no part of building shall be erected nearer than 8 ft. to any side lot line.
5. Premises shall be kept free from weeds, trash, miscellaneous materials which might detract from value of surrounding premises.
6. No lot or part thereof shall be used except for residential purposes. No lot or part thereof shall be used for commercial or industrial purposes.
7. Kennels or the breeding or raising of any animals in this area for commercial purposes strictly prohibited. Pet animals in restricted numbers and of household varieties may be kept.
8. Sanitary facilities shall meet Standards of Dept. Health, State of Ohio.
9. That these conditions, limitations, and restrictions shall be considered part of any contract, deed, lease or other instrument relating to the premises herein described and the acceptance of any contract, deed, lease or other instrument relating thereto shall operate as a covenant to use the premises in conformity with the conditions, limitations and restrictions set forth herein. These conditions, limitations and restrictions shall run with the land and shall be considered conditions subsequent, and shall remain in full force and effect until January 1-1985.

APPROVAL STATE DEPT. HEALTH
 We hereby certify that said Plat meets State Standards as to lot sizes, and do approve same for recording Signed this 23rd day of February 1962.
 Oliver C. Selig
 Dir. State Engr.


06-34-400-002
09-03-201-001

COMMUNITY FIRST BANK & TRUST COMPANY SURVEY

OF A PART OF THE S.E. 1/4 OF SECTION 34, TOWN 5 SOUTH, RANGE 3 EAST, AND A PART OF THE N.E. 1/4 OF SECTION 3, TOWN 6 SOUTH, RANGE 3 EAST, (JEFFERSON TOWNSHIP), MERCER COUNTY, OHIO.

JUNE 7, 2000

SCALE 1" = 200'








LEGEND

- ⊙ = RAILROAD SPIKE FOUND.
- = IRON PIPE FOUND.
- ⊕ = NAIL FOUND FROM S.R. 703 CENTERLINE SURVEY.
- ⊙ = CONCRETE MONUMENT FOUND.
- ⊕ = SPINDLE SET.
- = 5/8 INCH IRON BAR SET.

SURVEY REFERENCES

- 1) R.J. CORMAN RAILROAD SURVEY BY G. GEESLIN, P.S. 5372, 6-7-95.
- 2) ST. MARYS OUTING CLUB SURVEY BY G. GEESLIN, 5-15-97.
- 3) FISHBAUGH SURVEY BY THIS SURVEYOR, 2-19-97.
- 4) S.R. 703 CENTERLINE SURVEY.

LOCATION SKETCH



SURVEYED BY *James W. Geeslin*
JAMES W. GEESLIN
P.S. No. 7764

GEESLIN LAND SURVEYING
804 EAST MARKET STREET
P.O. BOX 422
CELINA, OHIO 45822
PHONE (419) 586-6155
FAX (419) 586-1826