


08-28f



BRADY-HEYNE ANNEXATION TO THE VILLAGE OF COLDWATER LOT 1708 BEING A 30.244 ACRE PARCEL OF LAND LOCATED IN THE SOUTHWEST QUARTER OF SECTION 33, BUTLER TOWNSHIP, TOWN 6 SOUTH, RANGE 2 EAST, MERCER COUNTY, OHIO. NORTHWEST CORNER OF— THE NORTHWEST QUARTER OF SECTION 28 MAG NAIL FOUND RANDALL TUMBUSCH CHRIS BORGERDING OUCKELE. 1109 BUCKEYE DR. DESCRIPTION Being a 0.34 acre tract as recorded in Volume 324 Page 548 and a 0.34 acre tract as recorded in Volume 285 60. N88'29'43"W 170.00' Page 884, located in the Northwest Quarter of Section 28, Butler Township, Town 6 South, Range 2 East, Mercer County, Ohio, being more particularly described as follows: LOT 1552 Commencing at a Mag Nail Found, marking the Southwest Corner of the Northwest Quarter of Section 28; S88'29'43"E 150.00' Thence North 01'32'49" East (Basis of Bearings) along the West line of the Northwest Quarter of Section 28 and the approximate centerline of Burkettsville-St. Henry Road, a distance of six hundred sixty-three and eighty-nine hundredths feet (663.89") to a Mag Nail Set, marking the TRUE POINT OF BEGINNING; Thence continuing North 01°32'49" East along the West line of the Northwest Quarter of Section 28 and the ROAD approximate centerline of Burkettsville-St. Henry Road, a distance of two hundred and zero hundredths feet (200.00') ROBERT R. HEYNE & TERESA A. TOBE to a Mag Noil Found: Thence South 88'29'43" East along the North line of Lot #1552, a distance of one hundred fifty and zero VOL. 285~PAGE 884 0.34 ACRES HENRY hundredths feet (150.00') to an Iron Pin Found; Thence South 01'32'49" West along the West line of Lots #1552 and #1551, a distance of two hundred and zero hundredths feet (200.00') to an Iron Pin Found; Thence North 88'29'43" West along the North line of Lot #1375, a distance of one hundred fifty and zero hundredths feet (150.00") to the TRUE POINT OF BEGINNING, containing 0.689 acres of land more or less. 588'29'43"E LOT 1709 150.00 KYLE AND APPROVAL BY THE VILLAGE OF COLDWATER JENNA NIEKAMP AT A MEETING OF THE VILLAGE OF COLDWATER COUNCIL HELD THIS _____ DAY OF ANNEXATION OF THE TERRITORY SHOWN HEREON TO THE VILLAGE OF COLDWATER AND ACCEPTED BY AREA SURVEYED 1107 BUCKEYE DR. 0.689 ACRES ORDINANCE # TIMOTHY L. & THERESA L. CLERK OF COUNCIL MAYOR BRADY VOL. 324~PAGE 548 APPROVAL BY THE MERCER COUNTY COMMISSIONERS 0.34 ACRES AT A MEETING OF THE MERCER COUNTY COMMISSIONERS HELD THIS DAY OF ANNEXATION OF THE TERRITORY SHOWN HEREON TO THE VILLAGE OF COLDWATER WAS APPROVED. SOUTHWEST CORNER OF THE NORTHWEST QUARTER OF THE NORTHWEST QUARTER OF SECTION 28


TRUE POINT LOT N88'29'43"W 150.00' COUNTY COMMISSIONER COUNTY COMMISSIONER S88'29'43"E 20.00 COUNTY COMMISSIONER S88'29'29"E APPROVAL BY THE MERCER COUNTY ENGINEER LOT 1375 10.13 LOT 1374 THIS ANNEXATION PLAT WAS REVIEWED AND APPROVED BY THE MERCER COUNTY ENGINEER ON THIS DAY SOUTHWEST CORNER OF THE NORTHWEST QUARTER OF SECTION 28 MARK J. THOBE ROGER V. EVERS 1112 RUBY LN. 1108 RUBY LN. **** EXISTING CORP LINE MERCER COUNTY ENGINEER TATE OF MERCER COUNTY AUDITOR CERTIFICATE I HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES ON THE LAND COMPRISING THIS ANNEXATION AREA AND THAT THIS ANNEXATION WAS FILED FOR TRANSFER IN THE OFFICE OF THE MERCER COUNTY AUDITOR THIS DAY LEGEND CRAIG -Area Surveyed Scale: 1"= 50' Q Gin Spindle Found MESCHER 8237 Iron Pin Found MERCER COUNTY AUDITOR Iron Pin Set MERCER COUNTY RECORDER CERTIFICATE 'ONAL RECEIVED FOR RECORD THIS DAY OF Mag Nail Set RECORDED IN INSTRUMENT # FEE: \$_ Mag Nail Found Steel Post Found Surveyed By: Margh Meserer Engineering Solutions MERCER COUNTY RECORDER Craig W. Mescher Reg. Surveyor No. 8237 VICINITY MAP 1200 IRMSCHER BLVD., SUITE B, CELINA, OH 45822 △ Stone Found Date: 06-16-2017 www.accessengilc.com |419-586-1430

0828101003 Township LEGEND = CORNER STONE (REFER TO MERCER COUNTY STONE RECORDS). SURVEYED BY = 5/8" IRON BAR FOUND. = P.K. NAIL FOUND. JAMES W. GEESLIN P.S. No. 7764 = 5/8" IRON BAR SET. Transfered: Retained: N. LINE - SECTION 28 N.E. COR. & MENCHHOFER RD. SEC. 28 N 89°50'14" W 5283.41' (MEAS.) 2641.70' 2641.71 N. 1/4 POST SEC. 28 N.W. COR. SEC. 28 W. LINE N.W. 1/4 - SECTION 28 & C. BURKETISVILLE ST. HENRY ROAD S 00°10°04" W 2656.18" 39.191 ACRES NORTH - SOUTH 1/2 SECTION LINE - SECTION 28 Part of: **Grantor:** Grantee 1326.16' S 89°49'56" E S 89°50'14" E 640.21 2004.55* 194,35 > 3.300 ACRE PARCEL N 00°06'02" 6155 1826 SIEFRING SURVEY PART OF THE NORTH 1/2 OF THE NORTHWEST 1/4, SECTION 28, TOWN 6 SOUTH, RANGE 2 EAST, (BUTLER TOWNSHIP), W. 1/4 POST SEC. 28 MERCER COUNTY, OHIO. SCALE 1" = 200' NOVEMBER 9, 1999 200' 400' 600' 804

REPLAT OF LOT #1707 AND #1708 OF NORTHFIELD ESTATES FIFTH ADDITION

0828151639 (6+4 1749)

PART OF THE NORTHWEST 1/4, SECTION 28, TOWNSHIP 6 SOUTH, RANGE 2 EAST, BUTLER TOWNSHIP, VILLAGE OF COLDWATER, MERCER COUNTY, OHIO



Legal Description-Lot #1749

Being all of Lot #1707 and part of Lot #1708 of the Northfield Estates Fifth Addition as recorded in Instrument #201500005419, located in the Northwest Quarter of Section 28, Town 6 South, Range 2 East, Butler Township, Mercer County, Village of Coldwater, Ohio, and being further described as follows:

Commencing at an Iron Pin Found at the Southwest Corner of said Lot #1707 of the said Northfield Estates Fifth Addition, for the TRUE POINT OF BEGINNING;

Thence North $01^{\circ}32^{\circ}49^{\circ}$ East along the West line of said Lot #1707, a distance of ninety and three hundredths feet (90.03') to an Iron Pin Found;

Thence Northeasterly along a curve to the right along the North line of said Lot #1707, having a Radius of thirty—five and zero hundredths feet (35.00'), a Length of fifty—four and ninety—five hundredths feet (54.95'), and a Chord of N46'31'33"E~49.48' to an Iron Pin Found;

Thence South 88'29'43" East along the North line of said Lot #1707, a distance of fifty-nine and seventy-seven hundredths feet (59.77') to an Iron Pin Found;

Thence Southeasterly along a curve to the right along the East line of said Lot #1707, having a Radius of seventy and zero hundredths feet (70.00'), a Length of one hundred three and eighty—nine hundredths feet (103.89'), and a Chord of S45'58'34"E~94.62' to an Iron Pin Found:

Thence South 03'27'25" East along the East line of said Lot #1707, a distance of sixty—one and twenty—nine hundredths feet (61.29') to an Iron Pin Found, marking the Northeast corner of said Lot #1708;

Thence continuing South 03'27'25'' East along the East line of said Lot #1708, a distance of five and sixty hundredths feet (5.60') to an Iron Pin Found:

Thence Southeasterly along a curve to the left along the East line of said Lot #1708, having a Radius of one hundred eighty and zero hundredths feet (180.00'), a Length of forty—five and fifty—seven hundredths feet (45.57'), and a Chord of S10'43'01"E~45.40' to an Iron Pin Set;

Thence North 88'29'43" West a distance of one hundred eighty and one hundredths feet (180.01') to an Iron Pin Set;

Thence North 01'32'49" East along the West line of said Lot #1708, a distance of fifty and zero hundredths feet (50.00') to the TRUE POINT OF BEGINNING, containing 0.646 acres or 28,118 Sauare Feet of land, more or less.

Legal Description-Lot #1750

Being part of Lot #1708 of the Northfield Estates Fifth Addition as recorded in Instrument #201500005419, located in the Northwest Quarter of Section 28, Town 6 South, Range 2 East, Butler Township, Mercer County, Village of Coldwater, Ohio, and being further described as follow

Commencing at an Iron Pin Found at the Southwest Corner of said Lot #1708 of the said Northfield Estates Fifth Addition, for the TRUE POINT OF BEGINNING;

Thence North 01'32'49" East along the West line of said Lot #1708, a distance of fifty and zero hundredths feet (50.00') to an Iron Pin Set;

Thence South 88'29'43" East a distance of one hundred eighty and one hundredths feet (180.01') to an Iron Pin Set;

Thence Southeasterly along a curve to the left along the East line of said Lot #1708, having a Radius of one hundred eighty and zero hundredths feet (180.00'), a Length of fifty—seven and seventeen hundredths feet (57.17'), and a Chord of S27'03'39"E~56.93' to an Iron Pin Found;

Thence North 88'29'43" West along the South line of Lot #1708, a distance of two hundred seven and twelve hundredths feet (207.12') to the TRUE POINT OF BEGINNING, containing 0.220 acres or 9,592 Square Feet of land, more or less.



LEGEND

- O 5/8" IRON PIN W/ CAP FOUND
- 5/8" IRON PIN SET
- PK/MAG NAIL FOUND


 Output

 Description

 Output

 Description

 Desc
- MAG NAIL SE



Curve Table							
Curve #	Length	Radius	Chord Direction	Chord Length			
C1	54.95'	35.00'	N46°31'33"E	49.48'			
C2	103.89'	70.00'	S45*58'34"E	94.62'			
C3	45.57'	180.00'	S10°43'01"E	45.40'			
C4	57.17	180.00'	S27'03'39"E	56.93'			

ALL OF LOT #1707 AND #1708 NUMBER OF LOTS: 2 TOTAL AREA OF PLAT: 0.865 ACRES

EXISTING ZONE: R-2

SIDE SETBACK: 7' MIN, 18' SUM REAR SETBACK: 35' MIN LOT AREA: 8,400 SF

EASEMENTS AND FRONT BUILDING LINES ARE AS SHOWN ON THE PLAT. SIDE LOT EASEMENTS ARE 5' (10' TOTAL UNLESS OTHERWISE NOTED).

LOT #1750 IS NOT A BUILDABLE LOT. LOT #1750 WILL BE TRANSFERRED TO ADJOINING OWNER ROBERT AND TERESA HEYNE. I hereby certify that this plat is true and accurate to the best of my knowledge by Craig W. Mescher Registered Surveyor No. 8237, August of 2017.

Craig W. Mescher Professional Surveyor #8237

DEDICATION

KNOWN ALL MEN BY THESE PRESENTS;

That the undersigned owners of the land embraced to this plat do certify that the said plat is a true representation of the same and that we do dedicate the easements appearing hereon to the use of the public forever.

All utility easements and building setback lines shall be strictly adhered to as

andall Tumbusch wner	Date	Nancy Tumbusch Owner	Date
hris Borgerding wner	Date	Kathryn Borgerding Owner	Date
obert Heyne wner	Date	Teresa Heyne	Date

ACKNOWLEDGMENT

STATE OF OHIO COUNTY OF MERCER:

Before me a Notary Public in and for said County of Mercer, State of Ohio, personally appeared the above signed owners and acknowledged the signing of the above to be their free act and deed.

n	testimony	whereof	١	have	affixed	my	hand	and	seal	this
da	y of		_		20					

My commission expires:

VILLAGE OF COLDWATER, COUNCIL CERTIFICATE

We hereby certify that the accompanying plat was approved and that the lots dedicated hereon were approved and accepted by the Council of the Village of Coldwater, Ohio at a regular meeting of soid Council.

Passed	on	this _	 day	of		_, 20_	

President, Village Council, Kevin Brunswick

PLANNING COMMISSION CERTIFICATE

Chairman	Tom	Homan	- 7		

RECORDER'S CERTIFICATE

Received for record this ____ doy of _____, 20___,
o'clock. Recorded in Instrument # _____


Mercer County Recorder, Angela N. King

ACCEPTANCE

Mayor,	Joseph	H. Knapschaefer	

These lots are subject to additional declarations, covenants and restrictions recorded in Official Records Instrument #201500005418 in the Mercer County Recorder's Office.






0828153021 NORTHFIELD ESTATES 2ND ADDITION SURVEYED BY PLAT CAB. 1 PG. 336 JAMES W. GEESLIN 1504 1505 1506 P.S. No. 7764 N 88*29'52' W 95,00 114.58 90.50' (PLAT) **CURVE DATA** 1557 C1 R = 50'L = 68.50'CH = S. 82°34'19" W. - 63.27' MORELAND 1558 INST. # 2015-1088 C₁ 1556 R = 25'L = 13.26'CH = S. 58°31'10" W. - 13.11' _S 31*49′15″ W 30.00′ * REFER TO NORTH-N 88*29'15' W FIELD EASTATES 4TH ADDITION PLAT, P.C. 3, PG. 90-91 BUCKEYE DRIVE (50') 1559 LAND SURVEYING **MORELAND SURVEY** 525 S. SECOND ST. COLDWATER , OHIO 45828 PHONE: (419) 678-7232 OF LOT 1557 IN NORTHFIELD ESTATES FOURTH ADD-TION TO THE VILLAGE OF COLDWATER, MERCER **LEGEND** COUNTY, OHIO. 1'' = 40'MARCH 18, 2015 = 5/8 INCH IRON BAR FOUND. 120' = 5/8 INCH IRON BAR SET.

0828153030


MEYER SURVEY

OF THE SOUTH PART OF LOT 1559 IN NORTHFIELD ESTATES, FOURTH ADDITION TO THE VILLAGE OF COLDWATER, IN SEC. 28, BUTLER TOWNSHIP, T. 6 S., R. 2 E., MERCER COUNTY, OHIO.




GEESLIN LAND SURVEYING

107 N. CEDAR STREET COLDWATER , DHID 45828 PHONE: (419) 586-6155 FAX: (419) 678-9332



PERMANENT PARCEL No.			
Part of _	Sec	T R	Township
Grantori _ Granteei _ Beed Refer		Area Retained Area Retained	Acres Acres
APPRIIVALS: AGENCY:		Date Tamble Zale Both	




08-98H 39.719 AC

S. 1/2 OF THE N.W. 1/4 OF SEC. 28, T-7-S, R-2-E, LOCATED IN THE

STATE OF OHIO BUTLER TWP., MERCER COUNTY,

> 0828179013+0-011 0828178001 +5005 082817700110-018 082 8153001 to 030 0828151 025



X = R.R. SPIKE FOUND


 \emptyset = I. PIN FOUND

O = I. PIN SET

SURVEYED BY: ERIC C THOMAS REG. SURVEYOR #7236 DATE: 07-09-94

\"= 400' Scale eferences: ANNEXATION SURVEY TO THE VILLAGE OF COLDWATER 1/2/94 BY G. GEESLIN REG. SURVEYOR #5372 References: Part of N.W. 1/4 Sec. 28 T7-S R2-E Butler Twp., MERCER Co GRANTOR: P. R. SIEFRING DEEDS: Vol. 237 Pg.516 AREA RETAINED AREA: **GRANTEE:** APPROVALS: AGENCY: PERMANENT PAF BD. OF HEALTH Co. San. Eng. Co. Engineer


ERIC C. A EO
THOMAS
7236
OSSTERSON
ONAL



48

HEYNE - BRADY MINOR SUBDIVISION

LOCATED IN THE N.W. 1/4 OF SEC. 28, T-6-S, R-2-E, VILLAGE OF COLDWATER, BUTLER TWP., MERCER CO., OHIO



DESCRIPTION

BEING A PARCEL OF LAND LOCATED IN THE NORTHWEST QUARTER OF SECTION 28, T-6-S, R-2-E, VILLAGE OF COLDWATER, BUTLER TOWNSHIP, MERCER COUNTY, OHIO AND BEING BOUNDED AND DESCRIBED AS FOLLOWS:

BEGINNING AT A P.K. NAIL MARKING THE WEST QUARTER POST OF SECTION 28; THENCE NORTH 00°22'13' EAST ALONG THE WEST SECTION LINE AND APPROXIMATE CENTERLINE OF BURKETTSVILLE-ST. HENRY ROAD A DISTANCE OF EIGHT HUNDRED SIXTY-THREE AND EIGHTY-NINE HUNDREDTHS FEET (863.89') TO A P.K. NAIL MARKING THE NORTHWEST CORNER OF A 0.344 ACRE TRACT AS CONVEYED TO ROBERT HEYNE IN DEED VOLUME 285, PAGE 884 FOR THE TRUE POINT OF BEGINNING, THENCE CONTINUING NORTH 00°22'13' EAST ALONG THE WEST SECTION LINE AND APPROXIMATE CENTERLINE OF BURKETTSVILLE-ST. HENRY ROAD A DISTANCE OF TEN AND ZERO HUNDREDTHS FEET (10.00') TO A P.K. NAIL; THENCE SOUTH 89°40'29" EAST A DISTANCE OF ONE HUNDRED SEVENTY AND ZERO HUNDREDTHS FEET (170.00') TO AN IRON PIN; THENCE SOUTH 00°22'13" WEST A DISTANCE OF TWO HUNDRED TEN AND ZERO HUNDREDTHS FEET (210,00') TO AN IRON PIN; THENCE NORTH 89°40'29" WEST A DISTANCE OF TWENTY AND ZERO HUNDREDTHS FEET (20.00%) TO AN IRON PIN MARKING THE SOUTHEAST CORNER OF A 0.344 ACRE TRACT AS CONVEYED TO TIMOTHY BRADY IN DEED VOLUME 324, PAGE 548; THENCE NORTH 00°22'13" EAST A DISTANCE OF TWO HUNDRED AND ZERO HUNDREDTHS FEET (200.00') TO AN IRON PINJ THENCE NORTH 89°40'29" WEST A DISTANCE OF ONE HUNDRED FIFTY AND ZERO HUNDREDTHS FEET (150.00') TO THE TRUE POINT OF BEGINNING CONTAINING 0.131 ACRES OF LAND OF WHICH 0.007 ACRES LIES WITHIN THE RIGHT-OF-WAY OF BURKETTSVILLE-ST: HENRY ROAD.

PRIOR DEED REFERENCE: VOLUME 101, PAGES 935-941.

BASIS OF BEARING PREVIOUS SURVEY OF THE AREA DONE BY ERIC C. THOMAS, REG. SUR. No. 7236

NOTE: NO NEW BUILDING LOTS WERE CREATED WITH THIS SURVEY.

KENT B.
MARDAUGH
P.S. 7421

SONAL SUR

DESCRIPTION
SUFFICIENT
FOR TAX MAPPING PURPOSES

OCT 3 0 2003

MERCER COUNTY TAX MAP DEPARTMENT

TRANSFER NOT NECESSARY

OCT 3 0 2003

MARK GIESIGE COUNTY AUDITOR MERCER COUNTY, OHIO

OWNERS DEDICATION

KNOW ALL MEN BY THESE PRESENTS THAT WE, THE OWNERS OF THE LAND ON THE ACCOMPANYING PLAT, HAVE CAUSED THE AREA ENCOMPASSED BY THIS PLAT TO BE SURVEYED, PLATTED, AND TO BE KNOWN AS THE HEYNE-BRADY MINOR SUBDIVISION.

Matt Schwietern Grand Seise 2-4-03

OWNER DATE

MATT SCHWIETERIAAN, JR. ARTHUR W GEISE

ACKNOWLEDGMENT

BEFORE ME A NOTARY PUBLIC IN AND FOR MERCER COUNTY, STATE OF OHIO, PERSONALLY APPEARED THE ABOVE SIGNED OWNER AND ACKNOWLEDGED THE SIGNING OF THE FOREGOING INSTRUMENT AND TO BE THEIR FREE ACT AND DEED.

M. CHARLETTE BROOKS NOTARY PUBLIC

Notary Public, State of Ohio

My Commission End Feb 12 2004-

VILLAGE ACCEPTANCE

THIS PLAT OF THE HEYNE-BRADY MINOR SUBDIVISION TO THE VILLAGE OF COLDWATER, OHIO HAS BEEN ACCEPTED BY THE VILLAGE OF COLDWATER AS PER SECTION 1113.00 OF THE VILLAGE SUBDIVISION ORDINANCE ADOPTED JULY 23, 2001.

VILLAGE ZUNING OFFICER
ERIC C THOMAS

COUNTY RECORDERS CERTIFICATE


RECEIVED FOR RECORDING THIS 30 DAY OF October 2003 AND IS RECORDED IN PLAT CABINET No. 3 PAGE 48.

Jamara K. Barger MERCER COUNTY RECORDER CY

COUNTY AUDITORS CERTIFICATE


I HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES ON LAND ENCOMPASSING HEYNE-BRADY MINOR SUBDIVISION AND THAT THIS PLAT WAS FILED FOR TRANSFER IN THE OFFICE OF THE MERCER COUNTY AUDITOR ON THIS 30 DAY OF October 2003.

MERCER COUNTY AUDITOR




I HEREBY CERTIFY THAT THIS SURVEY AND PLAT ARE CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT ALL SUBDIVISION REGULATIONS HAVE BEEN COMPLIED WITH.

KENT MARBAUGH REG. SUR. No. 7421



WEST-VIEW SECOND ADDITION TO THE VILLAGE OF COLDWATER, OHIO



WESTVIEW THIRD ADDITION TO THE VILLAGE OF COLDWATER, OHIO 08-28A SHEET | OF 2 PART OF THE NORTHWEST QUARTER OF SECTION 28, TOWN 6 SOUTH, RANGE 2 EAST, BUTLER TOWNSHIP, MERCER CO., VILLAGE OF COLDWATER, OHIO OWNER: Restful Acres Incorporated Matt Schwieterman Jr., President Kenneth A. Schwieterman, Secretary 0828152001 to-013 PAULINE R. SIEFRING 89°22'11" E 699.76' 150.00' 105.00 100.00 104.76 105.00 105.00 10' EASE 1375 21545 S.F. 1373 1374 1372 1371 1370 15085 S.F. 1312 14357 S.F. 15031 S.F. 15056 S.F. 15059 S.F. 30' BLDG. LINE 105.00 139,99 100.00 104.76' 105.00 105.18 ∠_{arc=15.72}' P.K. NAIL SET-RUBY LANE (50' R/W) S 89°25'15" E 699.97 205.00' 494.97' Tarc=15.70' arc=15.72' - arc=15.70' ~S 89°25'15" E 10.00' -10' R. 90.00 100.02 90.00' 90.00' 100.00 30' BLDG. LINE 30' BLDG. LINE 1376 15707 S.F. 1384 1386 1387 1385 1388 1311 15379 S.F. 12600 S.F. 12600 S.F. 12600 S.F. 14000 S.F. 39.00 N/W) 150.00 S 89'25'15" E bl 10' EASE 01 01 90,00 110.00 90.00 90.00% 100.00 1377 150.00 S 89°25'15" E 330.00' 12750 S.F. 10' EASE 1383 150.00 12726 S.F. 00 O. 1. 1307 149.44 1309 1308 S 89°25'15" E 1378 12106 S.F. / 五 円 ゆ 1306 1382 13095 S.F. 125.34 S: 89°25'15" :E S SCALE I" = 50' 50'R EMERALD AVE. 45.32 ■ IRON PIN SET 1379 O EXISTING IRON PIN 20133 S.F. <u>.</u>95. 1381 20199 S.F. 1305 1380 16834 S.F. 1304 1303 1302 30' R/W 10' EASE WEST I/4 POST SEC. 28-P.K. NAIL OVER STONE 42.83 190.00 115.00' N 89°25'15" W 377.83' Surveyed By: Eric C. Thomas, P.E., P.S. Reg. Surveyor *7236 208 S. Cedar St. Coldwater, Ohio

BRADY-HEYNE ANNEXATION TO THE VIL 10,689 BEING A 39.244 ACRE PARCEL OF LAND LOCATED IN THE SOUTHWEE BUTLER TOWNSHIP, TOWN 6 SOUTH, RANGE 2 EAST, MERI	LAGE OF COLDWATER ST QUARTER OF SECTION 33, CER COUNTY, OHIO.	NORTHWEST CORNER OF THE NORTHWEST QUARTER OF SECTION 28 MAG NAIL FOUND	LOT 1708 RANDALL TUMBUS CHRIS BORGERDI 1109 BUCKEYE I		
DESCRIPTION Being a 0.34 acre tract as recorded in Volume 324 Page 548 and a 0.34 acre trace Page 884, located in the Northwest Quarter of Section 28, Butler Township, Town 6 Security, Ohio, being more particularly described as follows: Commencing at a Mag Nail Found, marking the Southwest Corner of the Northwest Qenter North 01°32′49″ East (Basis of Bearings) along the West line of the Northwest approximate centerline of Burkettsville—St. Henry Road, a distance of six hundred sixt hundredths feet (663.89′) to a Mag Nail Set, marking the TRUE POINT OF BEGINNING;	South, Range 2 East, Mercer uarter of Section 28; t Quarter of Section 28 and the	(60' R/W)	N88°29'43"W 170.00' LOT 1552 S88°29'43"E 150.00'	6. 2	RIK ORIK
Thence continuing North 01°32′49" East along the West line of the Northwest Quarter approximate centerline of Burkettsville—St. Henry Road, a distance of two hundred and to a Mag Nail Found; Thence South 88′29′43" East along the North line of Lot #1552, a distance of one hundredths feet (150.00') to an Iron Pin Found; Thence South 01°32′49" West along the West line of Lots #1552 and #1551, a distanhundredths feet (200.00') to an Iron Pin Found;	d zero hundredths feet (200.00')	HENRY ROAD (WEST QUARTER OF SE 00.00' 100.00'	ROBERT R. HEYNE & TERESA A. TOBE VOL. 285~PAGE 884 0.34 ACRES	100.00' LOT 1552 110.00'	
Thence North 88'29'43" West along the North line of Lot #1375, a distance of one hundredths feet (150.00') to the TRUE POINT OF BEGINNING, containing 0.689 acres of APPROVAL BY THE VILLAGE OF COLDWATER AT A MEETING OF THE VILLAGE OF COLDWATER COUNCIL HELD THIS 28 DAY OF MAY ANNEXATION OF THE TERRITORY SHOWN HEREON TO THE VILLAGE OF COLDWATER AND A ORDINANCE # 792	f land more or less. CCEPTED BY THE TRANSFER HOT I	TSVILLE-ST. 1.32'49"E R.W.	\$88*29'43"E 150.00' AREA SURVEYED 0.689 ACRES	LOT 1709 M. 107 BUCKEYE DR.	
CLERK OF COUNCIL APPROVAL BY THE MERCER COUNTY COMMISSIONERS AT A MEETING OF THE MERCER COUNTY COMMISSIONERS HELD THIS 30T DAY OF OCTA ANNEXATION OF THE TERRITORY SHOWN HEREON TO THE VILLAGE OF COLDWATER WAS A		WER OO	TIMOTHY L. & THERESA L. BRADY VOL. 324~PAGE 548 0.34 ACRES	LOT 1551 S01 100.00'	
COUNTY COMMISSIONER COUNTY COMMISSIONER COUNTY COMMISSIONER	aff.	VORTHWEST QUARTER OF HE NORTHWEST QUARTER OF SECTION 28 TRUE POINT OF BEGINNING		43"E	
APPROVAL BY THE MERCER COUNTY ENGINEER THIS ANNEXATION PLAT WAS REVIEWED AND APPROVED BY THE MERCER COUNTY ENGINE OF November 2018	ER ON THIS 14 DAY	SOUTHWEST CORNER OF THE NORTHWEST COUNTY OF SECTION 28 MAG NAIL FOUND ON THE NORTHWEST COUNTY OF THE N	LOT 1375 MARK J. THOBE 1112 RUBY LN.	LOT 1374 ROGER V. EVERS 1108 RUBY LN.	
MERCER COUNTY ENGINEER MERCER COUNTY AUDITOR CERTIFICATE I HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES ON THE LAND COMPRISING THIS THIS ANNEXATION WAS FILED FOR TRANSFER IN THE OFFICE OF THE MERCER COUNTY AI OF Overhour 18.	ANNEXATION AREA AND THAT JUNE OF CRAIN CRAIN CRAIN W.	G . Area Surve	yed LEGEND Gin Spindle Fo	Scale: 1"=	= 50'
MERCER COUNTY AUDITOR MERCER COUNTY RECORDER CERTIFICATE RECEIVED FOR RECORD THIS DAY OF AT M.	PRO MESCI		O Iron Pin Found	0 25 50	100 PROJECT # 217808.51
RECORDED IN INSTRUMENT #	Surveyed By: Naigh Mese	her little	■ Mag Nail Set	nd ACC	and the second s
	Craig W. Mescher Red. Surveyor No. 82 Date: 06-16-2017	VIOINITT	△ Stone Found	www.accessenglic.com	